TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #206054

Testing ordered > 09 JUL '26

Sample received > 05 AUG '26

Client: Longevix Biosciences

Sample: Bac Water 3ml

Manufacturer: Longevix Biosciences

Batch:

Sample description >

See picture or pictures attached.

Tests requested >

BAC water (Benzyl Alcohol) analysis

Results >

Benzyl Alcohol	7.97 mg/ml

Comments >

Analysis conducted > 10 AUG 2026

Signature >



Verify this test at www.janoshik.com/verify/ with the following unique key

WJ1PLBJ693RM

TEST REPORT

JANOSHIK

E-mail: info@janoshik.com
Web: www.janoshik.com

Task Number #206055

Testing ordered > 09 JUL '26

Sample received > 05 AUG '26

Client: Longevix Biosciences

Sample: Bac Water 3ml

Manufacturer: Longevix Biosciences

Batch:

Sample description >

See picture or pictures attached.

Tests requested >

GCMS/LCMS screening for contamination

Results >

GCMS attached	

Comments >

Benzyl alcohol was detected.

Analysis conducted > 11 AUG 2026

Signature >

Verify this test at www.janoshik.com/verify/ with the following unique key

HWIPW66U7ZX3